

2020/TDC (CBCS)/ODD/SEM/
CHMHCC-102T/286

TDC (CBCS) Odd Semester Exam., 2020
held in March, 2021

CHEMISTRY

(1st Semester)

Course No. : CHMHCC-102T

(States of Matter and Ionic Equilibrium)

Full Marks : 50

Pass Marks : 20

Time : 3 hours

*The figures in the margin indicate full marks
for the questions*

SECTION—A

1. Answer any *ten* of the following questions :

2×10=20

(a) Write two postulates of kinetic molecular theory of gases.

(b) Calculate the various degrees of freedom for the following :

(i) CO₂

(ii) H₂O

10-21/176

(Turn Over)



- (c) What is the law of equipartition of energy?
- (d) What is the effect of temperature and pressure on the coefficient of viscosity?
- (e) Write the Berthelot equation and explain the terms.
- (f) What is compressibility factor? Name the gases which show positive deviations at all pressures.
- (g) Write the van der Waals' constants a and b in terms of critical constants.
- (h) Draw the PV isotherm curve for CO_2 molecule.
- (i) What is surface tension of a liquid? How does surface tension of a liquid vary with temperature?
- (j) Write in brief about the structure of liquid.
- (k) Explain the term 'cybotactic group'.
- (l) What is detergent? Give two examples.

(3)

- (m) What is the difference between symmetry element and symmetry operation?
- (n) Define liquid crystal. Give two examples.
- (o) Write the Bragg's equation and explain the terms.
- (p) Explain the law of constancy of interfacial angle.
- (q) Aqueous solution of Na_2CO_3 is alkaline in nature. Explain.
- (r) Define strong and weak electrolytes with suitable examples.
- (s) Give reason for the following acid dissociation constant order for polyprotic acid :

$$K_{a_1} > K_{a_2} > K_{a_3}$$

- (t) Define the following terms :
- (i) Buffer capacity
- (ii) Buffer range

SECTION—B

Answer *any five* questions

2. (a) Explain Maxwell-Boltzmann distribution law of molecular velocities with an appropriate graph. 2+1=3

10-21/176

(Turn Over)



- (b) Calculate the mean free path of oxygen gas at 28 °C and 1 atm pressure. Collision diameter of the gas molecule, $\sigma = 3.72 \text{ \AA}$. 3
3. (a) What is collision frequency? Write the mathematical expression and explain the terms involved. 2
- (b) Write the factors affecting collision frequency. 2
- (c) Calculate the total energy in joules associated with SO_2 . 2
4. (a) One mole of CO_2 was found to occupy a volume of 1.32 L at 48 °C and at a pressure of 16.40 atmosphere. Calculate the pressure that would have been expected from (i) ideal gas equation and (ii) van der Waals' equation. 2
- (b) Derive the relation $P_c V_c = \frac{3}{8} RT_c$. 2
- (c) Explain the terms 'critical temperature' and 'critical pressure'. 2

5. Comment on the following statements : $2 \times 3 = 6$

(a) Molecules attract one another and causes a gas to deviate from ideal behaviour.

(b) Actual volume occupied by molecules is not negligible to cause a gas to deviate from ideal behaviour.

(c) The molecular attraction between the gas molecules is high at low temperature.

6. (a) Explain the mechanism of cleansing action of detergent. 3

(b) What is radial distribution function? 1

(c) Mention the different physical properties of a liquid. 2

7. (a) Describe the process of determination of surface tension of a liquid by stalagmometer. 3

(b) At 25°C the surface tension of a liquid is 18.5 dynes/cm . The densities of the liquid and its vapours at the same temperature are 0.9256 gm/mL and 0.015 gm/mL . If the radius of the capillary tube is 0.012 cm , what would be the height of the liquid in the capillary, angle of contact being zero? 3

8. (a) Explain the following with example : 1½×2=3
- (i) Axis of symmetry
 - (ii) Centre of inversion
- (b) Mention the characteristic features of Schottky and Frenkel defects. 1½×2=3
9. (a) Define the following with examples : 2×2=4
- (i) Glasses
 - (ii) Liquid crystal
- (b) Deduce the Bragg's equation with reference to X-ray diffraction. 2
10. (a) Calculate the pH obtained by mixing equal volume of 0.015 N NH₄OH and 0.15 N NH₄NO₃ solution. (K_b for NH₄OH = 1.8×10^{-5}) 3
- (b) Derive the expression for the hydrolysis constant, degree of hydrolysis and pH for hydrolysis of a salt of weak acid and strong base. 3
11. (a) The solubility product of magnesium hydroxide at 25 °C is 1.4×10^{-11} . Calculate the solubility of magnesium hydroxide in g/L. 2

(7)

- (b) Explain an acid-base titration curve between a strong acid versus strong base by pH metric titration with reference to (i) pH value against volume of base added and (ii) differential curve for the same. 2+2=4
